



FY 2013 Implementation of the U.S. Integrated Ocean Observing System (IOOS)
Southern California Coastal Ocean Observing System (SCCOOS)
National Oceanographic Partnership Program Report:
1 July 2013 to 30 November 2013

Eric Terrill, Principal Investigator
SCCOOS Technical Director
Scripps Institution of Oceanography, University of California, San Diego
9500 Gilman Drive, Mail Code 0214, La Jolla, CA 92093
Phone: 858-822-3101 E-mail: eterrill@ucsd.edu

Julie Thomas, Co-Investigator
SCCOOS Executive Director
Scripps Institution of Oceanography, University of California, San Diego
9500 Gilman Drive, Mail Code 0214, La Jolla, CA 92093
Phone: 858-534-3034 E-mail: jot@cdip.ucsd.edu

Proposal Partners:

California Polytechnic State University, San Luis Obispo
Farallon Institute for Advanced Ecosystem Research
University of California, Los Angeles (UCLA)
University of California, Santa Barbara (UCSB)
University of Southern California (USC)

Grant Number: NA11NOS0120029
www.sccoos.org

1) PROJECT SUMMARY

The Southern California Coastal Ocean Observing System (SCCOOS) is one of eleven regions that contribute to the national U.S. Integrated Ocean Observing System (IOOS®). The regional observing systems work to collect, integrate, and deliver coastal and ocean observations in order to improve safety, enhance the economy, and protect the environment. The primary goal of SCCOOS is to provide the scientific data and information needed to inform decision-making and better understand the changing conditions of the coastal ocean in Southern California.

SCCOOS has aligned its priorities and objectives with the focus areas designated by U.S. Integrated Ocean Observing System (IOOS[®]), as identified by users and stakeholders throughout the nation.

- **Ecosystems and Climate:** to monitor ocean climate trends and environmental changes in the Southern California Bight by collecting physical, chemical, and biological variables.
- **Water Quality:** to provide monitoring, tracking, and prediction tools for harmful algal blooms, outfall and storm water plumes, and surf zone contaminants.
- **Marine Operations:** to advance integrated, customized products that are critical for safe and efficient navigation, search and rescue, and oil spill response.
- **Coastal Hazards:** to provide accurate, validated inundation models and information with the long-term goal of improving coastal safety.
- **Science Education and Communication:** to provide a way for the public to learn, educate, and promote scientific research using data obtained from SCCOOS.

2) PROGRESS AND ACCOMPLISHMENTS

SCCOOS continues to have the ability to achieve its milestones by providing access to high-quality integrated data and support regional user needs while complying with the standards and protocols for sharing and archiving data that are developed nationally. SCCOOS actively participates in IOOS Data Management efforts such as the Thematic Real-Time Environmental Distributed Data Services (THREDDS). By leveraging the Coastal Data Information Program (CDIP) and the HF Radar National Network programs, SCCOOS will target THREDDS distribution for wave, surface currents, and shore station data. SCCOOS participants also contribute to ongoing efforts to develop quality control standards for waves and HF radar-derived surface currents. Wave and current data have associated XML and FDGC compliant metadata.

The following goals/milestones have been met.

Ecosystems and Climate:

- Underwater glider surveys collect offshore measurements of temperature, salinity, chlorophyll, and current velocity.
- Dissolved oxygen sensors have been added to gliders to monitor hypoxia and ocean acidification. The integration of dissolved oxygen sensors on the gliders is proceeding for the purpose of monitoring hypoxia in coastal waters. The dissolved oxygen data also allow an estimate of parameters relevant to ocean acidification through proxy relationships. Using relationships developed by scientists at Scripps Institution of Oceanography, NOAA Pacific Marine Environmental Laboratory, Universidad Autonoma de Baja California, and University of Washington, the glider data have been used to estimate pH and aragonite saturation. Aragonite is important to organisms that form shells, as saturation levels below one may lead to dissolution of the shells.
- As part of CalCOFI-LTER program, measure variables in nearshore region including temperature, salinity, zooplankton, phytoplankton, fish eggs and invertebrate larvae.
- Conduct shipboard observations three times yearly to count seabirds and marine mammals in conjunction with CalCOFI-LTER surveys. Data, products, and modeling page display results on SCCOOS website.
- Meteorological stations provide wind speed and direction, air temperature, sea surface temperature, barometric pressure, humidity, and rainfall levels.

Water Quality:

- Monitor HABs at six pier stations by collecting weekly measurements of temperature, salinity, chlorophyll, nutrients, and toxic species; distribute data.
- Expand HABs website to include Central and Northern California.
- Continue automated sampling at four shore stations to measure temperature, salinity, chlorophyll, turbidity, and water level.
- Implement the 3-km California statewide ROMS ocean forecasting system for real-time operations and conduct a systematic validation of the model.
- Analyze pollution dispersal in finescale, nearshore, and shelf ROMS for the San Pedro and Santa Monica Bays.
- Provide HF radar-based trajectory tracking tool for Tijuana River Plume.

Marine Operations:

- The live feed of HF radar data are now available on the national HFR network for oil and hazardous spill response in the Environmental Response Management Application[®] (ERMA) map viewer for the southwest region. Near real-time and archived surface current measurements have been used in the National Preparedness for Response Exercise Program (NPREP) drill scenarios led by the U.S. Coast Guard in San Diego, Los Angeles, and Ventura.
- Customized and expanded interactive map displays of wave and surface currents with multi-layered views of observations, nowcasts, and forecasts were developed for Naval Air Systems Command (NAVAIR), Point Mugu.
- The customized, interactive map display of ocean conditions and forecasts for the Port of Los Angeles and Long Beach Harbor is used to improve navigation, safety, and efficiency for commercial vessels, harbor pilots, and port operations.
- Surface current measurements and surface wind analyses are integrated into the General NOAA Operational Modeling Environment (GNOME) for oil spill trajectory analysis.

Coastal Hazards:

- Validate and refine inundation models based on surveys of beach sand and water levels.
- Expand online development and integration of inundation information.

Science Education and Communication

- SCCOOS ocean data can inform classroom curriculum and informal education programs.
- SCCOOS data visualizations can provide a larger, environmental context for aquariums, science centers, and coastal tourist locations.
- SCCOOS regularly participates in tours, workshops, and meetings within southern California in order to further collaboration and provide data and information when requested.
- Lisa Hazard, a SCCOOS Ex-Officio Advisor testified to the House Subcommittee on the U.S. Coast Guard and Maritime Transportation. Her testimony provided insight on how to improve efficiency, safety, and security of maritime transportation: better use and integration of maritime domain awareness data.

U.S. IOOS regional awards that are ongoing.

Ecosystems and Climate

- Operate and maintain the network of short, medium, and long range HF radar systems and deliver data streams to the National HFR Network.
- Operating and maintaining long-term time series of physical, biological, and chemical ocean data are critical in monitoring climate trends and determining ecosystem health.

- Physical and ecological ocean patterns and processes constitute valuable information for Coastal and Marine Spatial Planning and marine protected areas monitoring. Under the auspices of SCCOOS, the California Current Ecosystem Long Term Ecological Research (CCE_LTER) program, and in conjunction with the California Cooperative Ocean Fisheries Investigation (CalCOFI), the distribution and abundance of seabirds during 3 seasonal surveys were studied.
- Publish survey reports and maps of species' distribution and abundance on SCCOOS web site.
- Operate, support, and maintain network of three glider lines to collect measurements of temperature, salinity, chlorophyll, current velocity, and acoustic backscatter; deliver data to SCCOOS website and push to modeling centers.
- Conduct automated sampling at four shore stations of temperature, salinity, chlorophyll, turbidity, and water level.
- Seabirds are identified and counted while at sea during the winter, spring, and summer CalCOFI surveys. The survey reports and maps of species' distribution and abundance on SCCOOS web site.
- SCCOOS is working closely with staff from the California Ocean Science Trust's Marine Protected Area Monitoring Enterprise on the development and successful execution of a monitoring program for Southern California's newly established network of marine protected areas.

Water Quality

- Accurate forecasts, measurements, and reports of water quality, for coastal pollutants and harmful algal blooms, inform beach closures and warnings which can affect tourism revenue and the local economy.
- Tracking impacted or polluted sources such as rivers and sewage outfalls can influence public health and ecosystem health (Areas of Special Biological Significance and marine protected areas).
- Analyze pollution dispersal in finescale, nearshore, and shelf ROMS for the San Pedro and Santa Monica bays.
- The SCCOOS HAB program contributes to the statewide HAB Monitoring and Alert Program (HABMAP) initiated by NOAA, the California Ocean Science Trust, and the Southern California Coastal Water Research Project (SCCWRP). The HAB program generates a baseline time-series of ocean properties to monitor ocean conditions in the very near shore zone of the Southern California Bight. These measurements are used to develop forecast models for short term warnings. They also increase our knowledge of the sign, frequency, and magnitude of variation of temperature, salinity, density, nutrients, and pollutants.
- Weekly reports are derived from a year long time series of sampling for HAB species and related water quality measurements and are provided to the California HAB Monitoring and Alert Program Group.
- In conjunction with autonomous glider and boat sampling *Pseudo-nitzscha* blooms that produce domoic acid are being monitored. The Caron lab is responsible for the analysis of domoic acid from the 5 SCCOOS HAB monitoring sites.
- Fine-scale simulations with ROMS are being analyzed at UCLA to examine two phenomena. First, pollution effluent dispersal from the Orange County and Hyperion discharge outfalls we examined. This includes alternative near shore outfalls planned in the coming years. The second examined area was a storm river plume dispersal near Santa Barbara. In both situations the material stays mainly on the continental shelf and slope, and the near shore outfall materials stay very near the coast.
- The County of San Diego's Department of Environmental Health uses the SCCOOS Tijuana River Plume Tracker to inform water quality warnings and beach closures.

Marine Operations

- Ocean conditions, surface currents measurements, and surface wind analyses can be used to aid in spill response as well as generate trajectories to inform search and rescue (SAR) operations.
- Customized, interactive map displays of ocean conditions with multilayer views of observations, nowcasts, and forecasts can improve navigation and safety for military regions and testing ranges.

- Ocean observing data can be used to inform and validate ocean models used by the military and federal agencies.
- Customized, interactive map displays of ocean conditions can improve navigation, safety, and efficiency for commercial vessels, harbor pilots, and port operations.
- Implementation of surface currents measured by the SCCOOS HF radar network are now accessible by U.S. Coast Guard for search and rescue (SAR) applications using their Environmental Data Server.
- Glider data are provided to the Naval Oceanographic Office (NAVO) for assimilation into operational models.
- Annually provide training to first responders of maritime incidences in the use of SCCOOS products.

Coastal Hazards

- Expand development and integration of inundation web site.
- Develop Shoreline inundation forecast, validation, and dissemination of warnings.
- Use surveys of sand levels on beaches and monitor storm inundations at selected locations to validate and refine coastal data and forecast models of erosion, flooding, and inundation levels can be used to protect and improve beaches, real estate, and highways.

Science Education and Communication

- SCCOOS, CeNCOOS and NANOOS is jointly host a one-year fellowship with the West Coast Governors Alliance (WCGA) Regional Data Framework (RDF) beginning this fall. This West Coast Oceanographic Data Integration Fellow, Laura Lilly, is located at the SCCOOS program office at Scripps Institution of Oceanography in La Jolla, CA. The fellow will focus on the identification of priority regional management questions and information needs to be informed by West Coast oceanographic data products and the development and distribution of those products. The fellowship will be administered by California Sea Grant and will start 1 November 2013.

3) SCOPE OF WORK

SCCOOS operates as a system of partnerships and projects that are facilitated by technical and programmatic staff. Organized by the four focus areas, the SCCOOS scientific and technical approach is based on a system of core ocean observing technologies and the delivery of useful data products and tools. System components include sub-surface ocean observations from underwater gliders, nearshore and coastal measurements, wave measurements and models, pier-based monitoring, satellite imagery, high frequency (HF) radar surface current mapping, and data assimilative ocean modeling. The projects described in this report represent the multi-disciplinary and collaborative efforts of the research teams that contribute data and information to SCCOOS.

4) PERSONNEL AND ORGANIZATION STRUCTURE

- Carlos Robles has retired from his position at California State, Los Angeles and is no longer serving on SCCOOS Board of Governors (BOG). His replacement will be determined at a later date.
- Capt. McKenna retires and Capt Louttit replaces him as a participant on SCCOOS/CeNCOOS Joint Strategic Advisory Committee (JSAC).
- Dominic Gregorio retired from the California State Water Resource Control Board (SWRCB) and Maria Carpio-Obeso replaces him as a participant on SCCOOS/CeNCOOS Joint Strategic Advisory Committee (JSAC).
- Melissa Miller-Hansen removed from JSAC because she has changed employment and is no longer on the MLPA Initiative and the California natural Resources Agency.
- Susan Zaleski replaced Dave Panzer as the Bureau of Ocean Energy Management representative on the JSAC.

5) BUDGET ANALYSIS

In FY 2013, SCCOOS received an increase of funds of \$119,544 from FY12. The SCCOOS Executive Steering Committee (ESC) have designated that the additional funds were allocated to the time series on the distribution and abundance of marine birds and mammals in the Southern California Bight (\$10K), to the development of the ocean acidification marine sensor technology (\$30K), harmful algal bloom (HABs) monitoring program (\$50K), to automated shore stations (\$27K), and for regional associations organization & outreach/education (\$17K). The remainder of SCCOOS projects received level funding from FY12.

FY13 funding will provide a valuable investment in important assets and will strengthen regional partnerships and national program planning. SCCOOS will continue its core observations and expand data products when possible within budget constraints. SCCOOS is also committed to contributing to larger ocean observing efforts regionally, nationally, and internationally.

Expenditures are progressing as expected, with no major discrepancies between actuals and budgeted on both the main award and the subawards.

6) ANNUAL SUPPLEMENTALS

Products and Services

- The marine mammal health map has been added to [SCCOOS's project page](#). The goal of this project is to develop a national marine mammal health tracking program that is web-based and readily accessible to scientists, managers, and to the general public. The map will allow detections of spatial and temporal changes in marine mammal health that will enable early prioritization of management and conservation.
- The [Cardiff Beach Erosion and Inundation Project](#), part the SCCOOS Coastal Hazards Program, is developing a field-validated, site-specific model for use in providing real-time warnings of wave and tide-induced inundation. After a reliable model is developed, inundation warnings will be disseminated to users via the Internet and/or automated phone calls. Ongoing monitoring is building a database of sand level changes and waves at local beaches, including an El Nino and the recent 2012 nourishment at Solana-Cardiff beaches, and are updated on the SCCOOS website
- SCCOOS and CeNCOOS are in the final stages of reviewing summary report and a lessons learned report for the [2012 Orange County Sanitation District \(OCSD\) Diversion](#). The project as a whole will be evaluated throughout the various stages of planning, data collection, modeling, product development, reporting, and conclusions in order to identify the most useful and cost-effective methods to predict and mitigate environmental issues related to the diversion. SCCOOS and CeNCOOS representatives will present the reports at OCSD offices. The report will provide the foundation for further determining best practices in ocean modeling and monitoring in support of future diversions to the 78-inch outfall.
- The Southern California Bight (SCB) Regional Ocean Modeling System (ROMS) Model Output has been replaced by a single 3 km resolution California state-wide ROMS. The 3km model is being supported by CeNCOOS and SCCOOS, providing long-term continuity and direct connection to management and operations groups in California. This allows us to apply our results across the State. Also, the 3km version of the model better captures mesoscale and large scale variability, reducing issues with boundary conditions that were occurring in the nested models. Lastly, the partnership with SCCOOS/CeNCOOS provides a new feature, including 72 hour forecasts for the entire State.

Data Management

- SCCOOS has completed a standards-based foundation for DMAC capabilities by converting HF radar and shore station formats into NetCDF and THREDDS.
- SCCOOS has released ncSOS service for its automated and manual shore stations.

- SCCOOS has leveraged CDIP wave data that are decimated to the NDBC for ingestion into WMO GTS
- Ongoing program-level participation in data management planning and coordination activities are;
 - Darren Wright attended a THREDDS training workshop July 24-26, 2013
 - Darren Wright attended a Beach Water Quality Work Group on August 14, 2013.
 - Darren Wright and Lisa Hazard attended IOOS DMAC meeting at the IOOS program office Sept 9-13, 2013.
 - Darren Wright and Chris Cohen attended the West Coast Data Network meeting in Costa Mesa, CA November 19-20, 2013.
- Julie Thomas participates in ongoing program-level data management because she is on the committee for IOOS DM standards.
- Julie Thomas participates in the Joint Planning DMAC.
- Julie Thomas participates in the ongoing IOOS maturity levels and certification standards with her Ocean Observations Initiative (OOI) and IOOS DM collaborations.

Observation Assets

- Laura Lilly is the new Sea Grant fellow for SCCOOS, CeNCOOS and NANOOS with the West Coast Governors Alliance (WCGA) Regional Data Framework (RDF). This one-year West Coast Oceanographic Data Integration Fellowship began November 2013. Ms. Lilly will sit at the SCCOOS program office at Scripps Institution of Oceanography in La Jolla, CA. She will focus on the identification of priority regional management questions and information needs to be informed by West Coast oceanographic data products and the development and distribution of those products. The fellowship was administered by California Sea Grant.
- SCCOOS received \$30K for the FY13 ocean acidification marine sensor program. SCCOOS/SIO will operate a “Burkalator” pCO₂ analyzer at Carlsbad Aquafarm, to track ocean acidification impacts on shellfish aquaculture. Lessons learned from these operations will be applied to future coastal measurements of ocean acidification.